

ACCESSORY SETUP INSTRUCTION

Engine Guard -- PN 6WWV-801000-5000

VALID FOR: MY2023 and Newer Ibox 800 S, Ibox 800 T


BEFORE YOU BEGIN: Read and understand the instructions before starting any work. Make sure that all parts are ready and that you have all the tools required for assembly.


NOTE: CFMOTO shall not be liable for any damage caused by incorrect assembly. CFMOTO recommends that all original accessories be assembled by an authorized CFMOTO dealer.

Before assembly, park the vehicle on a flat surface, and turn off the key switch.

Zhejiang CFMOTO Power Co., Ltd. All rights reserved. Reproduction of this document, even in part, as well as copying of all kinds, is permitted only with the express written permission of the copyright owner.


MEANING OF SYMBOLS

 - Indicates information with more details or tips.

 - Indicates information of warning or danger.


PARTS LIST:

ITEM	PART NAME	PART NUMBER	QTY.	REMARK
1	REINFORCED BUMPER	6WWV-801000-5000	1	
2	LH BUMPER ASSY	6WWV-801100-5000	1	
3	RH BUMPER ASSY	6WWV-801200-5000	1	
4	LOWER CONNECTING PLATE	6WWV-801101-5000	2	
5	WASHER M8	6WWV-801100-5000-22	4	
6	BOLT M8×25	30006-080025810	4	




TOOL LIST:

ITEM	DESCRIPTION	QTY.	REMARK
1	FLAT BLADE SCREWDRIVER	1	Recommended tools
2	13mm RACHET WRENCH	1	
3	PROTECTIVE GLOVES	1	
4	T-type SOCKET 13mm	1	
5	RUBBER HAMMER 10mm	1	


ASSEMBLY and INSTALLATION


// According to the picture on the right, install the washer (5) and the lower connecting plate (4) to the lower mounting hole of the left bumper (2) with bolt (6). *Do not fully tighten bolts at this time.*




// Remove the plugs (B) of the original left bumper (A).

i Left side shown. The right side is removed the same way.




// Remove the screws under the original bumper (A).



// Align the mounting points (C) on the right bumper (3) with the original right bumper mounting points (D), and then install.


i Right side shown. The left side is assembled the same way.

ASSEMBLY and INSTALLATION




// Align the lower mounting point of the bumper (3) with the washer (5) and the bolt (6), then tighten all the bolts.

i Right side shown. The left side is assembled the same way.



// Tighten the expansion screws (E) pre installed on the bumper (3).

i Right side shown. The left side is assembled the same way.



// Install the plugs (B) on bumper (3).

i Right side shown. The left side is assembled the same way.

